

To: Kliphuis, Trais, NMENV[trais.kliphuis@state.nm.us]; Bruce Yurdin (Bruce.Yurdin@state.nm.us)[bruce.yurdin@state.nm.us]; Butch.Tongate@state.nm.us[Butch.Tongate@state.nm.us]; Stephanie Stringer (Stephanie.Stringer@state.nm.us)[Stephanie.Stringer@state.nm.us]; Michelle Hunter (Michelle.Hunter@state.nm.us)[Michelle.Hunter@state.nm.us]; Pat Longmire (Patrick.Longmire@state.nm.us)[Patrick.Longmire@state.nm.us]

From: Garcia, David

Sent: Thur 8/13/2015 4:44:39 PM

Wells/Ex. 9

[R6 King Mine QASP 8_12.docx](#)

[Add 1 - SOP residential water.pdf](#)

I am back on line. Please note the attachments. The latest and greatest sampling plan.

David F. Garcia
Deputy Director
Water Quality
Protection Division

U.S. EPA Region 6
1445 Ross Avenue (Mail Code: 6WQ-D)
Dallas, Texas 75202-2733
Phone: (214) 665-7593
Follow EPA Region 6

-----Original Message-----

From: Foster, Althea

Sent: Thursday, August 13, 2015 10:37 AM

To: Garcia, David

Cc: Restivo, Angela; Webster, Susan; Petersen, Chris; Crossland, Ronnie; Rauscher, Jon; Ngo, Kim

Subject: Emailing: R6 King Mine QASP 8_12.docx, Add 1 - SOP residential water.pdf, Addendum 1 to GKM QASP.DOCX

David,
Could you share the updated version of the Sampling Plan with the State.
Thanks

Your message is ready to be sent with the following file or link attachments:

[R6 King Mine QASP 8_12.docx](#)
[Add 1 - SOP residential water.pdf](#)
[Addendum 1 to GKM QASP.DOCX](#)

Note: To protect against computer viruses, e-mail programs may prevent sending or receiving certain types of file attachments. Check your e-mail security settings to determine how attachments are handled.